Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9823	touch adj pad	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 18:35
L2	90	touch adj pad with matrix	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 18:36
L3	90	touch adj pad with matrix	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 18:36
L4	2	(touch adj pad with matrix) and strain adj gauge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 18:36
L5	7	(touch adj pad with matrix) and (fsr or force adj sens$3 adj resistors or piezoelectric adj sens$3 or capacitive adj2 sens$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 18:36
L6	7	(touch adj pad with matrix) and (fsr or force adj sens$3 adj resistors or piezoelectric adj sens$3 or capacitive adj2 sens$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 18:36
L7	1	((touch adj pad with matrix) and (fsr or force adj sens$3 adj resistors or piezoelectric adj sens$3 or capacitive adj2 sens$3)) and strain adj gauge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 18:36
L8	45	((touch adj pad) and strain adj gauges) and dsp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 18:37
L9	30036	touchpad or touch adj pad or mouse adj pad or key adj pad	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 18:37

L10	2165	(touchpad or touch adj pad or mouse adj pad or key adj pad) and (dsp or digital adj signal adj process$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 18:37
L11	136	((touchpad or touch adj pad or mouse adj pad or key adj pad) and (dsp or digital adj signal adj process$4)) and strain adj gauge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 18:37
L12	46	(((touchpad or touch adj pad or mouse adj pad or key adj pad) and (dsp or digital adj signal adj process$4)) and strain adj gauges) and sens$3 adj press$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 18:37
L13	9	((compar$4 adj pressure) near3 (sensors) with location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 18:38
L14	2	touch adj pad with multi-point	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 18:38
L15	90	touch adj pad with matrix	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 18:38
L16	7	(touch adj pad with matrix) and (fsr or force adj sens$3 adj resistors or piezoelectric adj sens$3 or capacitive adj2 sens$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 18:39
L17	1	((touch adj pad with matrix) and (fsr or force adj sens$3 adj resistors or piezoelectric adj sens$3 or capacitive adj2 sens$3)) and strain adj gauge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 18:39
L18	8	((((touchpad or touch adj pad or mouse adj pad or key adj pad) and (simultaneous$2 or concurrent$3)) and (simultaneous$2 or concurrent$2) near touch$4) and location near determin$4) and processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 18:39

L19	4	(multi adj point or multi-point) adj touch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 18:39